L Number	Hits	Search Text	DB	Time stamp
-	12443	710/$.ccls.	USPAT	2003/03/19 10:04
-	7	710/301-304.ccls. and (hotpluggable hot-pluggable hotplug hot-plug) and detector	USPAT; US-PGPUB	2003/03/18 23:04
-	73	710/301-304.ccls. and (hotpluggable hot-pluggable hotplug hot-plug hot live plug swap$3 insert$3 add$3 remov$3 replac$3) and detector	USPAT; US-PGPUB	2003/03/18 20:23
-	15	710/301-304.ccls. and (hotpluggable hot-pluggable hotplug hot-plug hot live plug swap$3 insert$3 add$3 remov$3 replac$3) near10 detector	USPAT; US-PGPUB	2003/03/18 20:49
-	31	710/301-304.ccls. and (hotpluggable hot-pluggable hotplug hot-plug hot live plug swap$3 insert$3 add$3 remov$3 replac$3) same detector	USPAT; US-PGPUB	2003/03/18 20:50
-	2	710/301-304.ccls. and detector and source not (710/301-304.ccls. and (hotpluggable hot-pluggable hotplug hot-plug hot live plug swap$3 insert$3 add$3 remov$3 replac$3) and detector)	USPAT; US-PGPUB	2003/03/18 22:07
-	44	710/301-304.ccls. and detector and source	USPAT; US-PGPUB	2003/03/19 16:35
-	728	710/301-304.ccls.	USPAT; US-PGPUB	2003/03/18 22:18
-	190	(detect$3 and source) and 710/301-304.ccls. not (710/301-304.ccls. and detector and source) not (710/301-304.ccls. and (hotpluggable hot-pluggable hotplug hot-plug hot live plug swap$3 insert$3 add$3 remov$3 replac$3) and detector)	USPAT; US-PGPUB	2003/03/18 22:19
-	78	710/301-304.ccls. and detector not ((detect$3 and source) and 710/301-304.ccls. not (710/301-304.ccls. and detector and source) not (710/301-304.ccls. and (hotpluggable hot-pluggable hotplug hot-plug hot live plug swap$3 insert$3 add$3 remov$3 replac$3) and detector))	USPAT; US-PGPUB	2003/03/18 23:04
-	35956	(electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unobstruct$3 imped$3 block$3 hinder%3 interrupt$3)	USPAT; US-PGPUB	2003/03/19 12:26
-	4	710/301-304.ccls. and ((electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unobstruct$3 imped$3 block$3 hinder%3 interrupt$3))	USPAT	2003/03/19 10:32
-	154	710/$.ccls. and ((electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unobstruct$3 imped$3 block$3 hinder%3 interrupt$3))	USPAT	2003/03/19 12:08
-	4	710/301-304.ccls. and ((electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unobstruct$3 imped$3 block$3 hinder%3 interrupt$3))	USPAT; US-PGPUB	2003/03/19 10:32
-	166	710/$.ccls. and ((electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unobstruct$3 imped$3 block$3 hinder%3 interrupt$3))	USPAT; US-PGPUB	2003/03/19 10:39
-	32	710/$.ccls. and ((electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unobstruct$3 imped$3 block$3 hinder%3 interrupt$3)) and detector	USPAT; US-PGPUB	2003/03/19 11:12
-	445	(electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unobstruct$3 imped$3 block$3 hinder%3 interrupt$3) same connector	USPAT; US-PGPUB	2003/03/19 11:15

—		1	710/$.ccls. and ((electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unobstruct$3 imped$3 block$3 hinder%3 interrupt$3) same connector)	USPAT; US-PGPUB	2003/03/19 11:13
—		71	detector and ((electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unobstruct$3 imped$3 block$3 hinder%3 interrupt$3) same connector)	USPAT; US-PGPUB	2003/03/19 11:15
—		34861	(electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unimped$3 block$3 hinder%3 interrupt$3)	USPAT; US-PGPUB	2003/03/19 12:26
		7053	(sens$3 detect$3) same ((electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unimped$3 block$3 hinder%3 interrupt$3))	USPAT; US-PGPUB	2003/03/19 22:35
—		519	((system near6 board) motherboard pcb mother-board board) and (hot live plug$3 swap$3 hotpluggable hot-plug) and ((sens$3 detect$3) same ((electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unimped$3 block$3 hinder%3 interrupt$3)))	USPAT; US-PGPUB	2003/03/19 12:23
—		23	((system near6 board) motherboard pcb mother-board board) and (hot live plug$3 swap$3 hotpluggable hot-plug) same ((sens$3 detect$3) same ((electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unimped$3 block$3 hinder%3 interrupt$3)))	USPAT; US-PGPUB	2003/03/19 12:07
—		4	710/$.ccls. and (((system near6 board) motherboard pcb mother-board board) and (hot live plug$3 swap$3 hotpluggable hot-plug) and ((sens$3 detect$3) same ((electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unimped$3 block$3 hinder%3 interrupt$3))))	USPAT; US-PGPUB	2003/03/19 12:09
—		192	connector and (((system near6 board) motherboard pcb mother-board board) and (hot live plug$3 swap$3 hotpluggable hot-plug) and ((sens$3 detect$3) same ((electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unimped$3 block$3 hinder%3 interrupt$3))))	USPAT; US-PGPUB	2003/03/19 12:23
—		69	((system near6 board) motherboard pcb mother-board board) and (hot live plug$3 swap$3 hotpluggable hot-plug) same connector and (((system near6 board) motherboard pcb mother-board board) and (hot live plug$3 swap$3 hotpluggable hot-plug) and ((sens$3 detect$3) same ((electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unimped$3 block$3 hinder%3 interrupt$3))))	USPAT; US-PGPUB	2003/03/19 12:28
—		155	(electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unobstruct$3 imped$3 block$3 hinder%3 interrupt$3) near10 connector	USPAT; US-PGPUB	2003/03/19 12:27
—		5	((system near6 board) motherboard pcb mother-board board) and (hot live plug$3 swap$3 hotpluggable hot-plug) same ((electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unimped$3 block$3 hinder%3 interrupt$3) near10 connector)	USPAT; US-PGPUB	2003/03/19 17:52
—		153	(electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unimped$3 block$3 hinder%3 interrupt$3) near10 connector	USPAT; US-PGPUB	2003/03/19 12:32

—		9	(electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unimped$3 block$3 hinder%3 interrupt$3) near10 connector same (detect$3 sens$3)	USPAT; US-PGPUB	2003/03/19 12:49
—		67	(electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unimped$3 block$3 hinder%3 interrupt$3) same connector same (detect$3 sens$3)	USPAT; US-PGPUB	2003/03/19 13:19
—		0	(electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unimped$3 block$3 hinder%3 interrupt$3) same (non-contact$3 near5 connector)	USPAT; US-PGPUB	2003/03/19 13:21
		76	(electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unimped$3 block$3 hinder%3 interrupt$3) same ((non-contact$3 contact$3) same connector)	USPAT; US-PGPUB	2003/03/19 14:27
—		4	(("5812693") or ("6112273") or ("re.36381") or ("5930110") or ("6401157")).PN.	USPAT; US-PGPUB	2003/03/19 14:56
—		4	(US-6112273-$ or US-5930110-$ or US-6401157-$ or US-5812693-$).did.	USPAT	2003/03/19 14:36
—		0	(710/301-304.ccls. and ((electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unobstruct$3 imped$3 block$3 hinder%3 interrupt$3))) and beam	USPAT; US-PGPUB	2003/03/19 14:35
—		0	((710/301-304.ccls. and ((electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unobstruct$3 imped$3 block$3 hinder%3 interrupt$3))) and beam) and beam	USPAT; US-PGPUB	2003/03/19 14:36
—		0	photosensor and ((710/301-304.ccls. and ((electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unobstruct$3 imped$3 block$3 hinder%3 interrupt$3))) and beam)	USPAT; US-PGPUB	2003/03/19 14:35
—		1	((US-6112273-$ or US-5930110-$ or US-6401157-$ or US-5812693-$).did.) and beam	USPAT; US-PGPUB	2003/03/19 14:59
—		2	(photosensor photodetector photobeam) and (card board) and ((US-6112273-$ or US-5930110-$ or US-6401157-$ or US-5812693-$).did.)	USPAT; US-PGPUB	2003/03/19 14:59
—		0	(photosensor photodetector photobeam photodetect$3) same(card board) and ((US-6112273-$ or US-5930110-$ or US-6401157-$ or US-5812693-$).did.)	USPAT; US-PGPUB	2003/03/19 14:59
—		0	(photosensor photodetector photobeam photodetect$3) same (card board) and ((US-6112273-$ or US-5930110-$ or US-6401157-$ or US-5812693-$).did.)	USPAT; US-PGPUB	2003/03/19 14:59
—		104	(breaks near5 beam) same (card board motherboard pc-board)	USPAT; US-PGPUB	2003/03/19 15:00
—		35	(breaks near5 beam) near10 (card board motherboard pc-board)	USPAT; US-PGPUB	2003/03/19 15:03
—		14	(breaks near5 beam) near10 (card board motherboard pc-board) and (detector photosensor photodetector)	USPAT; US-PGPUB	2003/03/19 15:04
—		37	710/301-304.ccls. and detector and source and (card board pcb motherboard)	USPAT; US-PGPUB	2003/03/19 17:56
—		0	710/301-304.ccls. same detector same source same (card board pcb motherboard)	USPAT; US-PGPUB	2003/03/19 16:49
—		4	710/301-304.ccls. and detector same source same (card board pcb motherboard)	USPAT; US-PGPUB	2003/03/19 16:50
—		1266	((system near6 board) motherboard pcb mother-board board card) same ((detect$3 sens$3) near10 (hot live plug$3 swap$3 hotpluggable hot-plug))	USPAT; US-PGPUB	2003/03/19 17:55

–	59	710/301-304.ccls. and (((system near6 board) motherboard pcb mother-board board card) same ((detect$3 sens$3) near10 (hot live plug$3 swap$3 hotpluggable hot-plug)))	USPAT; US-PGPUB	2003/03/19 18:44
–	728	710/301-304.ccls.	USPAT; US-PGPUB	2003/03/19 18:44
–	165	710/301-304.ccls. and (detector sensor)	USPAT; US-PGPUB	2003/03/19 18:45
–	0	710/301-304.ccls. and ((detector sensor) same (energy near6 source))	USPAT; US-PGPUB	2003/03/19 18:45
–	5	710/301-304.ccls. and ((detector sensor) and (energy near6 source))	USPAT; US-PGPUB	2003/03/19 18:48
–	165	710/301-304.ccls. and (detector sensor)	USPAT; US-PGPUB	2003/03/19 18:48
–	11	(sens$3 detect$3) same ((electromagnetic infra-red magnetic ultrasonic energy) near6 (obstruct$3 unimped$3 block$3 hinder%3 interrupt$3)) same (pcb card board) same (detector and sensor)	USPAT; US-PGPUB	2003/03/20 12:01
–	2	(("4140273") or ("5832556")).PN.	USPAT; US-PGPUB	2003/03/20 13:24
–	34	((beam$1 near6 (break$3 broke$1 or obstruct$3 unobstruct$3 imped$3 inhibit$3 hinder$3 block$3)) with (card$1 board$1 pcb$1 adapt?r$1)) with (insert$5 plug$5 add$3 remov$5 extract$5 withdraw$1 withdrew)	USPAT; US-PGPUB	2003/03/20 13:30